

	U	1	Document ID	Issue Date	Pages
1	X		US 20030222855 A1	20031204	6
2			US 20030096693 A1	20030522	10
3			US 20020047108 A1	20020425	15
4			US 20020037797 A1	20020328	10
5			US 20010021110 A1	20010913	11
6	X		US 6807823 B2	20041026	9
7			JP 2001322198 A	20011120	7
8			JP 09052964 A	19970225	3

	Title	Current OR	Current XRef
1	Touch control panel	345/173	
2	Fluorine-containing glass	501/54	501/57
3	Transparent conductive layer forming coating liquid	252/500	252/511; 252/512
4	Fluorine-containing glass	501/54	
5	Reflector, method for the production of reflector, and internal-lighting display device	362/247	362/297; 362/341
6	Fluorine-containing glass	65/30.1	501/54; 65/111; 65/32.1
7	Conveyance member for precision equipment material e.g. silicone wafer, comprises ultra-violet rays-resistant covering material layer formed on surface of fiber-reinforced composite material by spraying process		
8	Polyethersulphone film or sheet with good resistance to UV - contains inorganic UV absorbing agent, used in transparent electrode of LCD or film for optical recording disk		

	Retrieval Classif	Inventor	S	C	P	2	3	4	5
1		Sung, Guang-Tau							
2		Ohga, Yuichi et al.	X						
3		Yukinobu, Masaya et al.	X						
4		Ohga, Yuichi et al.	X						
5		Nakayama, Naoki et al.	X						
6		Ohga; Yuichi et al.							
7			X						
8			X						

	Image Doc. Displayed	PT
1	US 20030222855	
2	US 20030096693	
3	US 20020047108	
4	US 20020037797	
5	US 20010021110	
6	US 6807823	
7	JP 2001322198 A	
8	JP 09052964 A	

	U	1	Document ID	Issue Date	Pages
9			JP 56033611 A	19810404	3

	Title	Current OR	Current XRef
9	polarising plate for liq. crystal display device - with polarising film of stretched high polymer contg. pleochroic dye coated with protective coating and crosslinking adhesive		

	Retrieval Classif	Inventor	S	C	P	2	3	4	5
9			X						

	Image Doc. Displayed	PT
9	JP 56033611 A	